

DXT-61/EC



PENDANT TRANSMITTER

Operation Instructions




R&TE VAE 27861 EMC, SFT, ETS
Linear Corporation declares that the apparatus DXT-61/EC complies with the essential requirements and other relevant provisions of Directive 1995/5/EC

Linear
(760) 438-7000 • FAX (760) 438-7043
www.linearcorp.com

DXT-61/EC FEATURES

PRESS BUTTON TO SEND SIGNAL

RED INDICATOR WILL LIGHT DURING OPERATION



PRESS BUTTON FOR A MINIMUM OF 2 SECONDS

PRODUCT DESCRIPTION

The DXT-61/EC is a battery powered, portable, miniature pendant transmitter designed for use with Linear's DX Format receivers. The transmitter can be used in a limitless number of wireless remote control applications. Pressing the button on the transmitter sends a digitally coded wireless signal to its companion receiver.

The digital DX code format features over a million possible codes. Each DX transmitter is precoded at the factory to a unique code, so no field coding is required. The transmitter can send a signal for up to 10 seconds with each button activation.

For versatility, the transmitter code can be programmed into any receiver channel. Receivers must be programmed to the transmitter code before system testing and operation. DX Format digital receivers are programmed by "Learning" the preset factory code from the transmitter. Refer to the receiver's instructions for details on programming.


The DXT-61/EC transmitter is powered from a 12-Volt Type GP-23 battery with an expected battery life of about 1 year. The red test/operate indicator lights during operation. When the transmitter does not function, or its range decreases, replace the battery.

A detachable 30" neck chain is provided with each transmitter. The transmitter button has a positive "click" feel.

DXT-61/EC OPERATION

The DXT-61/EC is a one-button, one-code transmitter. Pressing the button sends the transmitter's code to the receiver. Press the button for a minimum of two seconds to insure receiver activation.


DXT-61/EC




NECK CHAIN

BATTERY REPLACEMENT


TWIST CHAIN LOOPS TO REMOVE BATTERY COVER



IMPORTANT!
WHEN CHANGING THE BATTERY, INSERT THE NEGATIVE (-) END FIRST



PUSH POSITIVE (+) END INTO TRANSMITTER LAST



INTERNATIONAL WARRANTY

This Linear product is warranted against defects in material and workmanship for twelve (12) months. The Warranty Expiration Date is labeled on the product. This warranty extends only to wholesale customers who buy direct from Linear or through Linear's normal distribution channels. Linear does not warrant this product to consumers. Consumers should inquire from their selling dealer as to the nature of the dealer's warranty, if any. There are no obligations or liabilities on the part of Linear Corporation for consequential damages arising out of or in connection with use or performance of this product or other indirect damages with respect to loss of property, revenue, or profit, or cost of removal, installation, or reinstallation. All implied warranties, including implied warranties for merchantability and implied warranties for fitness, are valid only until Warranty Expiration Date as labeled on the product. This Linear Corporation Warranty is in lieu of all other warranties express or implied. For warranty service on Linear equipment return product, at sender's expense to:
Linear Hong Kong 19/F Hounor Industrial Centre, 6 Sun Yip Street Chai Wan, Hong Kong
Attention: Repairs Department

REPAIRS POLICY

Charges will be made for equipment that is not in warranty, shows customer abuse, or is damaged by the effects of lightning, water, fire, or other abnormal happenings.

Customer's equipment sent in for repair may be repaired or replaced with new or remanufactured equipment at Linear's discretion.

The customer is always responsible for shipping and handling charges to the repairs facility. Linear will pay return shipping and handling charges on "in warranty" products shipped back to the customer. The customer will be billed for the return shipping and handling charges on "out of warranty" products.

There will be a 50% expedite fee for any express requests.
The International Sales Manager must be notified prior to the return of product to Linear. All international returns must have an International Repair Authorization number (IRA#). The number must be marked on all packages. Failure to do so will cause delays in processing.

IMPORTANT !!!

Linear radio controls provide a reliable communications link and fill an important need in portable wireless signaling. However, there are some limitations which must be observed.

The radios are required to comply with local rules and regulations as radio devices. As such, they have limited transmitter power and therefore limited range.

A receiver cannot respond to more than one transmitted signal at a time and may be blocked by radio signals that occur on or near their operating frequencies, regardless of code settings. Changes or modifications to the device may void regulatory compliance. Infrequently used radio links should be tested regularly to protect against undetected interference or fault.

A general knowledge of radio and its vagaries should be gained prior to acting as a wholesale distributor or dealer, and these facts should be communicated to the ultimate users.